



**Exam : Sun 310-065**

**Title :** Sun Certified Programmer for the  
Java 2 Platform.SE 6.0

**Update :** Demo

1. Click the Task button.

Drag and Drop

Place the code elements in position so that the Flags2 class will compile and make appropriate use of the wait/notify mechanism. Note: You may reuse code elements.

```

public class Flags2 {
    private boolean isReady = false;

    public Place here void produce() {
        isReady = true;
        Place here ;
    }
    public Place here void consume() {
        while (! isReady) {
            try {
                Place here ;
            } catch (Exception ex) { }
        }
        isReady = Place here ;
    }
}
    
```

**Code Elements**

synchronized	true	false	wait()
volatile	synchronized()	notifyAll()	synchronize

Done

Correct:

Green choice1---->Yellow Choice1

Green choice2---->Yellow Choice3

Green choice1---->Yellow Choice4

Green choice6---->Yellow Choice5

Green choice4---->Yellow Choice2

2. Given: 1. public class Threads2 implements Runnable { 2. 3. public void run() { 4. System.out.println("run."); 5. throw new RuntimeException("Problem"); 6. } 7. public static void main(String[] args) { 8. Thread t = new Thread(new Threads2()); 9. t.start(); 10. System.out.println("End of method."); 11. } 12. } Which two can be results? (Choose two.)

- A. java.lang.RuntimeException: Problem
- B. run. java.lang.RuntimeException: Problem
- C. End of method. java.lang.RuntimeException: Problem
- D. End of method. run. java.lang.RuntimeException: Problem
- E. run. java.lang.RuntimeException: Problem End of method.

Correct: D E

3. Which two statements are true? (Choose two.)

- A. It is possible for more than two threads to deadlock at once.
- B. The JVM implementation guarantees that multiple threads cannot enter into a deadlocked state.
- C. Deadlocked threads release once their sleep() method's sleep duration has expired.
- D. Deadlocking can occur only when the wait(), notify(), and notifyAll() methods are used incorrectly.

E. It is possible for a single-threaded application to deadlock if synchronized blocks are used incorrectly.  
F. If a piece of code is capable of deadlocking, you cannot eliminate the possibility of deadlocking by inserting invocations of `Thread.yield()`.

Correct: A F

4. Given: `7. void waitForSignal() { 8. Object obj = new Object(); 9. synchronized (Thread.currentThread()) { 10. obj.wait(); 11. obj.notify(); 12. } 13. }` Which statement is true?

- A. This code can throw an `InterruptedException`.
- B. This code can throw an `IllegalMonitorStateException`.
- C. This code can throw a `TimeoutException` after ten minutes.
- D. Reversing the order of `obj.wait()` and `obj.notify()` might cause this method to complete normally.
- E. A call to `notify()` or `notifyAll()` from another thread might cause this method to complete normally.
- F. This code does NOT compile unless "`obj.wait()`" is replaced with "`((Thread) obj).wait()`".

Correct: B

5. Click the Exhibit button. What is the output if the `main()` method is run?

Given:

```
10. public class Starter extends Thread {
11.     private int x = 2;
12.     public static void main(String[] args)
throws Exception {
13.         new Starter().makeItSo();
14.     }
15.     public Starter() {
16.         x = 5;
17.         start();
18.     }
19.     public void makeItSo() throws
Exception {
20.         join();
21.         x = x - 1;
22.         System.out.println(x);
23.     }
24.     public void run() { x *= 2; }
25. }
```

- A. 4
- B. 5
- C. 8
- D. 9
- E. Compilation fails.
- F. An exception is thrown at runtime.
- G. It is impossible to determine for certain.

Correct: D

6. Given: `11. class PingPong2 { 12. synchronized void hit(long n) { 13. for(int i = 1; i < 3; i++) 14. System.out.print(n + "-" + i + " "); 15. } 16. } 17. public class Tester implements Runnable { 18. static PingPong2 pp2 = new PingPong2(); 19. public static void main(String[] args) { 20. new Thread(new Tester()).start(); 21. new Thread(new Tester()).start(); 22. } 23. public void run() { pp2.hit(Thread.currentThread().getId()); } 24. }` Which statement is true?

- A. The output could be 5-1 6-1 6-2 5-2

- B.The output could be 6-1 6-2 5-1 5-2
- C.The output could be 6-1 5-2 6-2 5-1
- D.The output could be 6-1 6-2 5-1 7-1

Correct:B

7.Given: 1. public class Threads4 { 2. public static void main (String[] args) { 3. new Threads4().go(); 4. } 5. public void go() { 6. Runnable r = new Runnable() { 7. public void run() { 8. System.out.print("foo"); 9. } 10. }; 11. Thread t = new Thread(r); 12. t.start(); 13. t.start(); 14. } 15. } What is the result?

- A.Compilation fails.
- B.An exception is thrown at runtime.
- C.The code executes normally and prints "foo".
- D.The code executes normally, but nothing is printed.

Correct:B

8.Click the Task button.

**Drag and Drop**

```
Given: 10. Runnable r = new Runnable() {
11.     public void run() {
12.         try {
13.             Thread.sleep(1000);
14.         } catch (InterruptedException e) {
15.             System.out.println("interrupted");
16.         }
17.         System.out.println("ran");
18.     }
19. };
20. Thread t = new Thread(r);
21. t.start();
22. System.out.println("started");
23. t.sleep(2000);
24. System.out.println("interrupting");
25. t.interrupt();
26. System.out.println("ended");
```

Assume that sleep(n) executes in exactly n milliseconds, and all other code executes in an insignificant amount of time.

Place the fragments in the output area to show the result of running this code.

Output	Fragments
Place here	interrupted
Place here	ran
Place here	started
Place here	interrupting
Place here	ended
Place here	InterruptedException:
	(no more output)

Correct:

Green choice2---->Yellow Choice3

Green choice3---->Yellow Choice2

Green choice4---->Yellow Choice4

Green choice5---->Yellow Choice5

Green choice7---->Yellow Choice1

9.Click the Task button.

Drag and Drop

Add methods to the Beta class to make it compile correctly.

```

class Alpha {
    public void bar( int... x ) { }
    public void bar( int x ) { }
}

public class Beta extends Alpha {

```

Place here

Place here

Place here

**Methods**

private void bar( int x ) {}

public void bar( int x ) {}

public int bar( String x ) { return 1; }

public Alpha bar( int x ) {}

public void bar( int x, int y ) {}

public int bar( int x ) { return x; }

}

Correct:

Green choice2---->Yellow Choice1

Green choice3---->Yellow Choice2

Green choice5---->Yellow Choice3

10. Given: 11. public abstract class Shape { 12. private int x; 13. private int y; 14. public abstract void draw(); 15. public void setAnchor(int x, int y) { 16. this.x = x; 17. this.y = y; 18. } 19. } Which two classes use the Shape class correctly? (Choose two.)

- A. public class Circle implements Shape { private int radius; }
- B. public abstract class Circle extends Shape { private int radius; }
- C. public class Circle extends Shape { private int radius; public void draw(); }
- D. public abstract class Circle implements Shape { private int radius; public void draw(); }
- E. public class Circle extends Shape { private int radius; public void draw() { /\* code here \*/ }
- F. public abstract class Circle implements Shape { private int radius; public void draw() { /\* code here \*/ }

Correct: B E

11. Given: 11. public class Barn { 12. public static void main(String[] args) { 13. new Barn().go("hi", 1); 14. new Barn().go("hi", "world", 2); 15. } 16. public void go(String... y, int x) { 17. System.out.print(y[y.length - 1] + " "); 18. } 19. } What is the result?

- A. hi hi
- B. hi world
- C. world world
- D. Compilation fails.
- E. An exception is thrown at runtime.

Correct: D

12. Given: 10. class Nav { 11. public enum Direction { NORTH, SOUTH, EAST, WEST } 12. } 13. public class Sprite { 14. // insert code here 15. } Which code, inserted at line 14, allows the Sprite class to compile?

- A. Direction d = NORTH;
- B. Nav.Direction d = NORTH;

C.Direction d = Direction.NORTH;

D.Nav.Direction d = Nav.Direction.NORTH;

Correct:D

13.Click the Exhibit button. Which statement is true about the classes and interfaces in the exhibit?

```
1. public interface A {
2.     public void doSomething(String thing);
3. }

1. public class AImpl implements A {
2.     public void doSomething(String msg) { }
3. }

1. public class B {
2.     public A doit() {
3.         // more code here
4.     }
5.
6.     public String execute() {
7.         // more code here
8.     }
9. }

1. public class C extends B {
2.     public AImpl doit() {
3.         // more code here
4.     }
5.
6.     public Object execute() {
7.         // more code here
8.     }
9. }
```

A.Compilation will succeed for all classes and interfaces.

B.Compilation of class C will fail because of an error in line 2.

C.Compilation of class C will fail because of an error in line 6.

D.Compilation of class AImpl will fail because of an error in line 2.

Correct:C

14.Click the Task button.

Drag and Drop

Place the code fragments in position to complete the Displayable interface.

```
interface Reloadable {
    public void reload();
}

class Edit {
    public void edit() { /* Edit Here */ }
}

interface Displayable
    {
        Place here
        Place here
    }
    Place here
}
```

**Code Fragments**

extends	public void display();	Reloadable
implements	public void display() { /* Display */ };	Edit

Done

Correct:

Green choice1---->Yellow Choice2

Green choice2---->Yellow Choice3

Green choice3---->Yellow Choice1

15. Click the Exhibit button. What is the result?

```
11. class Person {
12.     String name = "No name";
13.     public Person(String nm) { name = nm; }
14. }
15.
16. class Employee extends Person {
17.     String empID = "0000";
18.     public Employee(String id) { empID =
19. id; }
20. }
21. public class EmployeeTest {
22.     public static void main(String[] args)
23.     {
24.         Employee e = new Employee("4321");
25.         System.out.println(e.empID);
26.     }
27. }
```

A.4321

B.0000

C.An exception is thrown at runtime.

D.Compilation fails because of an error in line 18.

Correct:D

16.Given: 11. public class Rainbow { 12. public enum MyColor { 13. RED(0xff0000), GREEN(0x00ff00), BLUE(0x0000ff); 14. private final int rgb; 15. MyColor(int rgb) { this.rgb = rgb; } 16. public int getRGB() { return rgb; } 17. }; 18. public static void main(String[] args) { 19. // insert code here 20. } 21. } Which code fragment, inserted at line 19, allows the Rainbow class to compile?

- A.MyColor skyColor = BLUE;
- B.MyColor treeColor = MyColor.GREEN;
- C.if(RED.getRGB() < BLUE.getRGB()) { }
- D.Compilation fails due to other error(s) in the code.
- E.MyColor purple = new MyColor(0xff00ff);
- F.MyColor purple = MyColor.BLUE + MyColor.RED;

Correct:B

17.Given: 11. class Mud { 12. // insert code here 13. System.out.println("hi"); 14. } 15. } And the following five fragments: public static void main(String...a) { public static void main(String.\* a) { public static void main(String... a) { public static void main(String[]... a) { public static void main(String...[] a) { How many of the code fragments, inserted independently at line 12, compile?

- A.0
- B.1
- C.2
- D.3
- E.4
- F.5

Correct:D

18.Given: 5. class Atom { 6. Atom() { System.out.print("atom "); } 7. } 8. class Rock extends Atom { 9. Rock(String type) { System.out.print(type); } 10. } 11. public class Mountain extends Rock { 12. Mountain() { 13. super("granite "); 14. new Rock("granite "); 15. } 16. public static void main(String[] a) { new Mountain(); } 17. } What is the result?

- A.Compilation fails.
- B.atom granite
- C.granite granite
- D.atom granite granite
- E.An exception is thrown at runtime.
- F.atom granite atom granite

Correct:F

19.Given: 1. interface TestA { String toString(); } 2. public class Test { 3. public static void main(String[] args) { 4. System.out.println(new TestA() { 5. public String toString() { return "test"; } 6. }); 7. } 8. } What is the result?

- A.test
- B.null
- C.An exception is thrown at runtime.
- D.Compilation fails because of an error in line 1.
- E.Compilation fails because of an error in line 4.



F.Compilation fails because of an error in line 5.

Correct:A

20.Given: 11. public static void parse(String str) { 12. try { 13. float f = Float.parseFloat(str); 14. } catch (NumberFormatException nfe) { 15. f = 0; 16. } finally { 17. System.out.println(f); 18. } 19. } 20. public static void main(String[] args) { 21. parse("invalid"); 22. } What is the result?

A.0.0

B.Compilation fails.

C.A ParseException is thrown by the parse method at runtime.

D.A NumberFormatException is thrown by the parse method at runtime.

Correct:B

21.Click the Task button.

Drag and Drop

Insert six modifiers into the code such that it meets all of these requirements:

1. It must be possible to create instances of Alpha and Beta from outside the packages in which they are defined.
2. When an object of type Alpha (or any potential subclass of Alpha) has been created, the instance variable alpha may never be changed.
3. The value of the instance variable alpha must always be "A" for objects of type Alpha.

**Code**

```
package alpha;
Place here class Alpha {
    Place here String alpha;
    Place here Alpha() { this("A"); }
    Place here Alpha(String a) { alpha = a; }
}

package beta;
Place here class Beta extends alpha.Alpha {
    Place here Beta(String a) { super(a); }
}
```

**Modifiers**

- private
- protected
- public

Done

Correct:

Green choice3---->Yellow Choice6

Green choice2---->Yellow Choice5

Green choice3---->Yellow Choice4

Green choice1---->Yellow Choice3

Green choice3---->Yellow Choice2

Green choice3---->Yellow Choice1

22.Given: 1. public class Blip { 2. protected int blipvert(int x) { return 0; } 3. } 4. class Vert extends Blip { 5. // insert code here 6. } Which five methods, inserted independently at line 5, will compile? (Choose five.)

A.public int blipvert(int x) { return 0; }

B.private int blipvert(int x) { return 0; }

- C.private int blipvert(long x) { return 0; }
- D.protected long blipvert(int x) { return 0; }
- E.protected int blipvert(long x) { return 0; }
- F.protected long blipvert(long x) { return 0; }
- G.protected long blipvert(int x, int y) { return 0; }

Correct:A C E F G

23.Given: 1. class Super { 2. private int a; 3. protected Super(int a) { this.a = a; } 4. } ... 11. class Sub extends Super { 12. public Sub(int a) { super(a); } 13. public Sub() { this.a = 5; } 14. } Which two, independently, will allow Sub to compile? (Choose two.)

- A.Change line 2 to: public int a;
- B.Change line 2 to: protected int a;
- C.Change line 13 to: public Sub() { this(5); }
- D.Change line 13 to: public Sub() { super(5); }
- E.Change line 13 to: public Sub() { super(a); }

Correct:C D

24.Which Man class properly represents the relationship "Man has a best friend who is a Dog"?

- A.class Man extends Dog { }
- B.class Man implements Dog { }
- C.class Man { private BestFriend dog; }
- D.class Man { private Dog bestFriend; }
- E.class Man { private Dog; }
- F.class Man { private BestFriend; }

Correct:D

25.Given: 1. package test; 2. 3. class Target { 4. public String name = "hello"; 5. } What can directly access and change the value of the variable name?

- A.any class
- B.only the Target class
- C.any class in the test package
- D.any class that extends Target

Correct:C

26.Given: 11. abstract class Vehicle { public int speed() { return 0; } 12. class Car extends Vehicle { public int speed() { return 60; } 13. class RaceCar extends Car { public int speed() { return 150; } ... 21. RaceCar racer = new RaceCar(); 22. Car car = new RaceCar(); 23. Vehicle vehicle = new RaceCar(); 24. System.out.println(racer.speed() + ", " + car.speed() 25. + ", " + vehicle.speed()); What is the result?

- A.0, 0, 0
- B.150, 60, 0
- C.Compilation fails.
- D.150, 150, 150
- E.An exception is thrown at runtime.

Correct:D

27.Given: 5. class Building { } 6. public class Barn extends Building { 7. public static void main(String[] args) { 8. Building build1 = new Building(); 9. Barn barn1 = new Barn(); 10. Barn barn2 = (Barn) build1; 11. Object obj1 = (Object) build1; 12. String str1 = (String) build1; 13. Building build2 = (Building) barn1; 14. }

15. } Which is true?

- A.If line 10 is removed, the compilation succeeds.
- B.If line 11 is removed, the compilation succeeds.
- C.If line 12 is removed, the compilation succeeds.
- D.If line 13 is removed, the compilation succeeds.
- E.More than one line must be removed for compilation to succeed.

**Correct:C**

28.A team of programmers is reviewing a proposed API for a new utility class. After some discussion, they realize that they can reduce the number of methods in the API without losing any functionality. If they implement the new design, which two OO principles will they be promoting?

- A.Looser coupling
- B.Tighter coupling
- C.Lower cohesion
- D.Higher cohesion
- E.Weaker encapsulation
- F.Stronger encapsulation

**Correct:A**

29.Given: 21. class Money { 22. private String country = "Canada"; 23. public String getC() { return country; } 24. } 25. class Yen extends Money { 26. public String getC() { return super.country; } 27. } 28. public class Euro extends Money { 29. public String getC(int x) { return super.getC(); } 30. public static void main(String[] args) { 31. System.out.print(new Yen().getC() + " " + new Euro().getC()); 32. } 33. }

What is the result?

- A.Canada
- B.null Canada
- C.Canada null
- D.Canada Canada
- E.Compilation fails due to an error on line 26.
- F.Compilation fails due to an error on line 29.

**Correct:E**

30.Click the Task button.

Drag and Drop

Place the Relations on their corresponding Implementation Structures.  
Note: Not all Implementation Structures will be used.

**Implementation Structures**

```
class A {  
    List<B> b;  
}
```

```
class A  
extends B,C { }
```

```
class A { }
```

```
class A {  
    B b; C c;  
}
```

```
class A {  
    B b;  
}
```

```
class A  
implements B,C  
{ }
```

```
class A  
extends B { }
```

Done

**Relations**

Car is a Vehicle  
and  
Car is a Collectable

Car has a  
SteeringWheel

Car has Wheels

Mini is a Car

Car is an Object

Correct:

Green choice3---->Yellow Choice3

Green choice1---->Yellow Choice5

Green choice4---->Yellow Choice2

Green choice2---->Yellow Choice1

Green choice5---->Yellow Choice4

Green choice4---->Yellow Choice6



KillTest.com was founded in 2006. The safer,easier way to help you pass any IT Certification exams . We provide high quality IT Certification exams practice questions and answers(Q&A). Especially [Adobe](#), [Apple](#), [Citrix](#), [Comptia](#), [EMC](#), [HP](#), [HuaWei](#), [LPI](#), [Nortel](#), [Oracle](#), [SUN](#), [Vmware](#) and so on. And help you pass any IT Certification exams at the first try.

You can reach us at any of the email addresses listed below.

English Customer:

Chinese Customer:

Sales : [sales@Killtest.com](mailto:sales@Killtest.com)

[sales@Killtest.net](mailto:sales@Killtest.net)

Support: [support@Killtest.com](mailto:support@Killtest.com)

[support@Killtest.com](mailto:support@Killtest.com)

English Version <http://www.KillTest.com>

Chinese (Traditional) <http://www.KillTest.net>

Chinese (Simplified) <http://www.KillTest.cn>